



# COMPLETE CNC KIT FOR GRANITE

Tel. 06-92860078  
Fax 06-9280666

[www.mpsaprilia.it](http://www.mpsaprilia.it)  
[info@mpsaprilia.it](mailto:info@mpsaprilia.it)

Ø INT. = **INNER Diameter**  
Ø EST. = **OUTER Diameter**

Mola - Wheel	POS.	Codice - Code	4/23 - AR20 ØINT.F060 mm
<i>Sinterizzato - Sintered</i>			
Segmented	1	UMGZ2014600351I	
Continuous Rim	2	UMGZ2014600352I	
Continuous Rim	3	UMGZ2014600353I	
Continuous Rim	4	UMGZ2014600354I	
<i>Gomma - Rubber</i>			
Rubber Diaflex	5	UMGZ2014700355I	
Rubber Diaflex	6	UMGZ2014700356I	
Rubber Diaflex	7	UMGZ2014700357I	
Abr. Supreme	5	SUMGZ2014700355I	
Abr. Supreme	6	SUMGZ2014700356I	
Abr. Supreme	7	SUMGZ2014700357I	

Mola - Wheel	POS.	Codice - Code	4/36 - AR30 ØINT.F060 mm
<i>Sinterizzato - Sintered</i>			
Segmented	1	UMGZ3019600351I	
Continuous Rim	2	UMGZ3019600352I	
Continuous Rim	3	UMGZ3019600353I	
Continuous Rim	4	UMGZ3019600354I	
<i>Gomma - Rubber</i>			
Rubber Diaflex	5	UMGZ3019700355I	
Rubber Diaflex	6	UMGZ3019700356I	
Rubber Diaflex	7	UMGZ3019700357I	
Abr. Supreme	5	SUMGZ3019700355I	
Abr. Supreme	6	SUMGZ3019700356I	
Abr. Supreme	7	SUMGZ3019700357I	

Mola - Wheel	POS.	Codice - Code	4/44 - AR40 ØINT.F060 mm
<i>Sinterizzato - Sintered</i>			
Segmented	1	UMGZ4013600351I	
Continuous Rim	2	UMGZ4013600352I	
Continuous Rim	3	UMGZ4013600353I	
Continuous Rim	4	UMGZ4013600354I	
<i>Gomma - Rubber</i>			
Rubber Diaflex	5	UMGZ4013700355I	
Rubber Diaflex	6	UMGZ4013700356I	
Rubber Diaflex	7	UMGZ4013700357I	
Abr. Supreme	5	SUMGZ4013700355I	
Abr. Supreme	6	SUMGZ4013700356I	
Abr. Supreme	7	SUMGZ4013700357I	



**Indicare sempre dimensioni foro /attacco e/o costruttore macchina -  
Per profili su misura non esitate a contattarci.**

**Specify dimensions of the hole/attachment and manufacturer of the  
machine. --- Any particular shape can be quoted produced on request.**



# COMPLETE CNC KIT FOR GRANITE

Tel. 06-92860078  
Fax 06-9280666

[www.mpsaprilia.it](http://www.mpsaprilia.it)  
[info@mpsaprilia.it](mailto:info@mpsaprilia.it)

Ø INT. = **INNER Diameter**  
Ø EST. = **OUTER Diameter**

Mola - Wheel	POS.	Codice - Code	5/33 DW47916 ØINT.F060 mm
<i>Sinterizzato - Sintered</i>			
Segmented	1	UMG53312600351I	
Continuous Rim	2	UMG53312600352I	
Continuous Rim	3	UMG53312600353I	
Continuous Rim	4	UMG53312600354I	
<i>Gomma - Rubber</i>			
Rubber Diaflex	5	UMG53312600355I	
Rubber Diaflex	6	UMG53312600356I	
Rubber Diaflex	7	UMG53312600357I	
Abr. Supreme	5	SUMG53312600355I	
Abr. Supreme	6	SUMG53312600356I	
Abr. Supreme	7	SUMG53312600357I	

Mola - Wheel	POS.	Codice - Code	5/44 DW0042 ØINT.F060 mm
<i>Sinterizzato - Sintered</i>			
Segmented	1	UMG54416600351I	
Continuous Rim	2	UMG54416600352I	
Continuous Rim	3	UMG54416600353I	
Continuous Rim	4	UMG54416600354I	
<i>Gomma - Rubber</i>			
Rubber Diaflex	5	UMG54416600355I	
Rubber Diaflex	6	UMG54416600356I	
Rubber Diaflex	7	UMG54416600357I	
Abr. Supreme	5	SUMG54416600355I	
Abr. Supreme	6	SUMG54416600356I	
Abr. Supreme	7	SUMG54416600357I	

Mola - Wheel	POS.	Codice - Code	5/45 ØINT.F060 mm
<i>Sinterizzato - Sintered</i>			
Segmented	1	UMG54516600351I	
Continuous Rim	2	UMG54516600352I	
Continuous Rim	3	UMG54516600353I	
Continuous Rim	4	UMG54516600354I	
<i>Gomma - Rubber</i>			
Rubber Diaflex	5	UMG54516600355I	
Rubber Diaflex	6	UMG54516600356I	
Rubber Diaflex	7	UMG54516600357I	
Abr. Supreme	5	SUMG54516600355I	
Abr. Supreme	6	SUMG54516600356I	
Abr. Supreme	7	SUMG54516600357I	



**Indicare sempre dimensioni foro /attacco e/o costruttore macchina -  
Per profili su misura non esitate a contattarci.**

**Specify dimensions of the hole/attachment and manufacturer of the  
machine ---- Any particular shape can be quoted produced on request.**





# COMPLETE CNC KIT FOR GRANITE

Tel. 06-92860078  
Fax 06-9280666

[www.mpsaprilia.it](http://www.mpsaprilia.it)  
[info@mpsaprilia.it](mailto:info@mpsaprilia.it)

Ø INT. = **INNER Diameter**  
Ø EST. = **OUTER Diameter**

Mola - Wheel	POS.	Codice - Code	A-23 R10 ØEST.D080 mm
<i>Sinterizzato - Sintered</i>			
Segmented	1	UMGA2310600351I	
Continuous Rim	2	UMGA2310600352I	
Continuous Rim	3	UMGA2310600353I	
Continuous Rim	4	UMGA2310600354I	
<i>Gomma - Rubber</i>			
Rubber Diaflex	5	UMGA2310600355I	
Rubber Diaflex	6	UMGA2310600356I	
Rubber Diaflex	7	UMGA2310600357I	
Abr. Supreme	5	SUMGA2310600355I	
Abr. Supreme	6	SUMGA2310600356I	
Abr. Supreme	7	SUMGA2310600357I	

Mola - Wheel	POS.	Codice - Code	A-33 R6 ØEST.D080 mm
<i>Sinterizzato - Sintered</i>			
Segmented	1	UMGA3306600351I	
Continuous Rim	2	UMGA3306600352I	
Continuous Rim	3	UMGA3306600353I	
Continuous Rim	4	UMGA3306600354I	
<i>Gomma - Rubber</i>			
Rubber Diaflex	5	UMGA3306600355I	
Rubber Diaflex	6	UMGA3306600355I	
Rubber Diaflex	7	UMGA3306600355I	
Abr. Supreme	5	SUMGA3306600355I	
Abr. Supreme	6	SUMGA3306600356I	
Abr. Supreme	7	SUMGA3306600357I	

Mola - Wheel	POS.	Codice - Code	A-33 R10 ØEST.D080 mm
<i>Sinterizzato - Sintered</i>			
Segmented	1	UMGA3310600351I	
Continuous Rim	2	UMGA3310600352I	
Continuous Rim	3	UMGA3310600353I	
Continuous Rim	4	UMGA3310600354I	
<i>Gomma - Rubber</i>			
Rubber Diaflex	5	UMGA3310600355I	
Rubber Diaflex	6	UMGA3310600356I	
Rubber Diaflex	7	UMGA3310600357I	
Abr. Supreme	5	SUMGA3310600355I	
Abr. Supreme	6	SUMGA3310600356I	
Abr. Supreme	7	SUMGA3310600357I	



**Indicare sempre dimensioni foro /attacco e/o costruttore macchina -  
Per profili su misura non esitate a contattarci.**

**Specify dimensions of the hole/attachment and manufacturer of the  
machine. --- Any particular shape can be quoted produced on request.**





<b>Mola - Wheel</b>	<b>POS.</b>	<b>Codice - Code</b>	<b>A-33 R15 ØINT.F060 mm</b>
<i>Sinterizzato - Sintered</i>			
Segmented	1	UMGA3315600351I	
Continuous Rim	2	UMGA3315600352I	
Continuous Rim	3	UMGA3315600353I	
Continuous Rim	4	UMGA3315600354I	
<i>Gomma - Rubber</i>			
Rubber Diaflex	5	UMGA3315600355I	
Rubber Diaflex	6	UMGA3315600356I	
Rubber Diaflex	7	UMGA3315600357I	
Abr. Supreme	5	SUMGA3315600355I	
Abr. Supreme	6	SUMGA3315600356I	
Abr. Supreme	7	SUMGA3315600357I	

<b>Mola - Wheel</b>	<b>POS.</b>	<b>Codice - Code</b>	<b>A-43 R10 ØEST.D080 mm</b>
<i>Sinterizzato - Sintered</i>			
Segmented	1	UMGA4310600351I	
Continuous Rim	2	UMGA4310600352I	
Continuous Rim	3	UMGA4310600353I	
Continuous Rim	4	UMGA4310600354I	
<i>Gomma - Rubber</i>			
Rubber Diaflex	5	UMGA4310600355I	
Rubber Diaflex	6	UMGA4310600356I	
Rubber Diaflex	7	UMGA4310600357I	
Abr. Supreme	5	SUMGA4310600355I	
Abr. Supreme	6	SUMGA4310600356I	
Abr. Supreme	7	SUMGA4310600357I	

<b>Mola - Wheel</b>	<b>POS.</b>	<b>Codice - Code</b>	<b>A-43 R20 ØINT.F060 mm</b>
<i>Sinterizzato - Sintered</i>			
Segmented	1	UMGA4320600351I	
Continuous Rim	2	UMGA4320600352I	
Continuous Rim	3	UMGA4320600353I	
Continuous Rim	4	UMGA4320600354I	
<i>Gomma - Rubber</i>			
Rubber Diaflex	5	UMGA4320600355I	
Rubber Diaflex	6	UMGA4320600356I	
Rubber Diaflex	7	UMGA4320600357I	
Abr. Supreme	5	SUMGA4320600355I	
Abr. Supreme	6	SUMGA4320600356I	
Abr. Supreme	7	SUMGA4320600357I	



**Indicare sempre dimensioni foro /attacco e/o costruttore macchina -  
Per profili su misura non esitate a contattarci.**  
**Specify dimensions of the hole/attachment and manufacturer of the  
machine. --- Any particular shape can be quoted produced on request.**





<b>Mola - Wheel</b>	<b>POS.</b>	<b>Codice - Code</b>	<b>B-23 R20 ØEST. D120 mm</b>
<i>Sinterizzato - Sintered</i>			
Segmented	1	UMGB2320600351I	
Continuous Rim	2	UMGB2320600352I	
Continuous Rim	3	UMGB2320600353I	
Continuous Rim	4	UMGB2320600354I	
<i>Gomma - Rubber</i>			
Rubber Diaflex	5	UMGB2320600355I	
Rubber Diaflex	6	UMGB2320600356I	
Rubber Diaflex	7	UMGB2320600357I	
Abr. Supreme	5	SUMGB2320600355I	
Abr. Supreme	6	SUMGB2320600356I	
Abr. Supreme	7	SUMGB2320600357I	

<b>Mola - Wheel</b>	<b>POS.</b>	<b>Codice - Code</b>	<b>B-33 R30 ØEST. D120 mm</b>
<i>Sinterizzato - Sintered</i>			
Segmented	1	UMGB3330600351I	
Continuous Rim	2	UMGB3330600352I	
Continuous Rim	3	UMGB3330600353I	
Continuous Rim	4	UMGB3330600354I	
<i>Gomma - Rubber</i>			
Rubber Diaflex	5	UMGB3330600355I	
Rubber Diaflex	6	UMGB3330600356I	
Rubber Diaflex	7	UMGB3330600357I	
Abr. Supreme	5	SUMGB3330600355I	
Abr. Supreme	6	SUMGB3330600356I	
Abr. Supreme	7	SUMGB3330600357I	

<b>Mola - Wheel</b>	<b>POS.</b>	<b>Codice - Code</b>	<b>B-43 R40 ØINT. F060 mm</b>
<i>Sinterizzato - Sintered</i>			
Segmented	1	UMGB4340600351I	
Continuous Rim	2	UMGB4340600352I	
Continuous Rim	3	UMGB4340600353I	
Continuous Rim	4	UMGB4340600354I	
<i>Gomma - Rubber</i>			
Rubber Diaflex	5	UMGB4340600355I	
Rubber Diaflex	6	UMGB4340600356I	
Rubber Diaflex	7	UMGB4340600357I	
Abr. Supreme	5	SUMGB4340600355I	
Abr. Supreme	6	SUMGB4340600356I	
Abr. Supreme	7	SUMGB4340600357I	



**Indicare sempre dimensioni foro /attacco e/o costruttore macchina -  
Per profili su misura non esitate a contattarci.**  
**Specify dimensions of the hole/attachment and manufacturer of the  
machine. --- Any particular shape can be quoted produced on request.**





Mola - Wheel	POS.	Codice - Code	D-33 R5 45° ØEST. D120 mm
<i>Sinterizzato - Sintered</i>			
Segmented	1	UMGD3305600351I	
Continuous Rim	2	UMGD3305600352I	
Continuous Rim	3	UMGD3305600353I	
Continuous Rim	4	UMGD3305600354I	
<i>Gomma - Rubber</i>			
Rubber Diaflex	5	UMGD3305600355I	
Rubber Diaflex	6	UMGD3305600356I	
Rubber Diaflex	7	UMGD3305600357I	
Abr. Supreme	5	SUMGD3305600355I	
Abr. Supreme	6	SUMGD3305600356I	
Abr. Supreme	7	SUMGD3305600357I	

Mola - Wheel	POS.	Codice - Code	E-23 Bevel 10 ØINT. F060 mm
<i>Sinterizzato - Sintered</i>			
Segmented	1	UMGE2310600351I	
Continuous Rim	2	UMGE2310600352I	
Continuous Rim	3	UMGE2310600353I	
Continuous Rim	4	UMGE2310600354I	
<i>Gomma - Rubber</i>			
Rubber Diaflex	5	UMGE2310600355I	
Rubber Diaflex	6	UMGE2310600356I	
Rubber Diaflex	7	UMGE2310600357I	
Abr. Supreme	5	SUMGE2310600355I	
Abr. Supreme	6	SUMGE2310600356I	
Abr. Supreme	7	SUMGE2310600357I	

Mola - Wheel	POS.	Codice - Code	E-33 Bev14,5 ØEST. D080 mm
<i>Sinterizzato - Sintered</i>			
Segmented	1	UMGE3314.5600351I	
Continuous Rim	2	UMGE3314.5600352I	
Continuous Rim	3	UMGE3314.5600353I	
Continuous Rim	4	UMGE3314.5600354I	
<i>Gomma - Rubber</i>			
Rubber Diaflex	5	UMGE3314.5600355I	
Rubber Diaflex	6	UMGE3314.5600356I	
Rubber Diaflex	7	UMGE3314.5600357I	
Abr. Supreme	5	SUMGE3314.5600355I	
Abr. Supreme	6	SUMGE3314.5600356I	
Abr. Supreme	7	SUMGE3314.5600357I	



**Indicare sempre dimensioni foro /attacco e/o costruttore macchina -  
Per profili su misura non esitate a contattarci.**

**Specify dimensions of the hole/attachment and manufacturer of the  
machine. --- Any particular shape can be quoted produced on request.**

PAG.6

## COMPLETE CNC KIT FOR GRANITE

Tel. 06-92860078  
Fax 06-9280666

[www.mpsaprilia.it](http://www.mpsaprilia.it)  
[info@mpsaprilia.it](mailto:info@mpsaprilia.it)

Ø INT. = INNER Diameter  
Ø EST. = OUTER Diameter





<b>Mola - Wheel</b>	<b>POS.</b>	<b>Codice - Code</b>	<b>E-43 Bev 25 ØEST. D120 mm</b>
<i>Sinterizzato - Sintered</i>			
Segmented	1	UMGE4325600351I	
Continuous Rim	2	UMGE4325600352I	
Continuous Rim	3	UMGE4325600353I	
Continuous Rim	4	UMGE4325600354I	
<i>Gomma - Rubber</i>			
Rubber Diaflex	5	UMGE4325600355I	
Rubber Diaflex	6	UMGE4325600356I	
Rubber Diaflex	7	UMGE4325600357I	
Abr. Supreme	5	SUMGE4325600355I	
Abr. Supreme	6	SUMGE4325600356I	
Abr. Supreme	7	SUMGE4325600357I	

<b>Mola - Wheel</b>	<b>POS.</b>	<b>Codice - Code</b>	<b>E-43 Bev14,5 ØEST. D080 mm</b>
<i>Sinterizzato - Sintered</i>			
Segmented	1	UMGE4314.5600351I	
Continuous Rim	2	UMGE4314.5600352I	
Continuous Rim	3	UMGE4314.5600353I	
Continuous Rim	4	UMGE4314.5600354I	
<i>Gomma - Rubber</i>			
Rubber Diaflex	5	UMGE4314.5600355I	
Rubber Diaflex	6	UMGE4314.5600356I	
Rubber Diaflex	7	UMGE4314.5600357I	
Abr. Supreme	5	SUMGE4314.5600355I	
Abr. Supreme	6	SUMGE4314.5600356I	
Abr. Supreme	7	SUMGE4314.5600357I	

<b>Mola - Wheel</b>	<b>POS.</b>	<b>Codice - Code</b>	<b>F-23 R10 ØINT.F060 mm</b>
<i>Sinterizzato - Sintered</i>			
Segmented	1	UMGF2310600351I	
Continuous Rim	2	UMGF2310600352I	
Continuous Rim	3	UMGF2310600353I	
Continuous Rim	4	UMGF2310600354I	
<i>Gomma - Rubber</i>			
Rubber Diaflex	5	UMGF2310600355I	
Rubber Diaflex	6	UMGF2310600356I	
Rubber Diaflex	7	UMGF2310600357I	
Abr. Supreme	5	SUMGF2310600355I	
Abr. Supreme	6	SUMGF2310600356I	
Abr. Supreme	7	SUMGF2310600357I	



**Indicare sempre dimensioni foro /attacco e/o costruttore macchina -  
Per profili su misura non esitate a contattarci.  
Specify dimensions of the hole/attachment and manufacturer of the  
machine. --- Any particular shape can be quoted produced on request.**

**PAG.7**



## **COMPLETE CNC KIT FOR GRANITE**

Tel. 06-92860078  
Fax 06-9280666

[www.mpsaprilia.it](http://www.mpsaprilia.it)  
[info@mpsaprilia.it](mailto:info@mpsaprilia.it)

Ø INT. = **INNER Diameter**  
Ø EST. = **OUTER Diameter**

<b>Mola - Wheel</b>	<b>POS.</b>	<b>Codice - Code</b>	<b>F/33 R17,5 ØEST. D120 mm</b>
<i>Sinterizzato - Sintered</i>			
Segmented	1	UMGF3317.5600351I	
Continuous Rim	2	UMGF3317.5600352I	
Continuous Rim	3	UMGF3317.5600353I	
Continuous Rim	4	UMGF3317.5600354I	
<i>Gomma - Rubber</i>			
Rubber Diaflex	5	UMGF3317.5600355I	
Rubber Diaflex	6	UMGF3317.5600356I	
Rubber Diaflex	7	UMGF3317.5600357I	
Abr. Supreme	5	SUMGF3317.5600355I	
Abr. Supreme	6	SUMGF3317.5600356I	
Abr. Supreme	7	SUMGF3317.5600357I	

<b>Mola - Wheel</b>	<b>POS.</b>	<b>Codice - Code</b>	<b>F/44 ØINT. F060 mm</b>
<i>Sinterizzato - Sintered</i>			
Segmented	1	UMGF4422600351I	
Continuous Rim	2	UMGF4422600352I	
Continuous Rim	3	UMGF4422600353I	
Continuous Rim	4	UMGF4422600354I	
<i>Gomma - Rubber</i>			
Rubber Diaflex	5	UMGF4422600355I	
Rubber Diaflex	6	UMGF4422600356I	
Rubber Diaflex	7	UMGF4422600357I	
Abr. Supreme	5	SUMGF4422600355I	
Abr. Supreme	6	SUMGF4422600356I	
Abr. Supreme	7	SUMGF4422600357I	

<b>Mola - Wheel</b>	<b>POS.</b>	<b>Codice - Code</b>	<b>FZ/33 ØINT. F060 mm</b>
<i>Sinterizzato - Sintered</i>			
Segmented	<i>Precut</i>	UMGFZ3310600351I	
Segmented	1	UMGFZ3310600352I	
Continuous Rim	2	UMGFZ3310600353I	
Continuous Rim	3	UMGFZ3310600354I	
Continuous Rim	4		
<i>Gomma - Rubber</i>			
Rubber Diaflex	5	UMGFZ3310600355I	
Rubber Diaflex	6	UMGFZ3310600356I	
Rubber Diaflex	7	UMGFZ3310600357I	
Abr. Supreme	5	SUMGFZ3310600355I	
Abr. Supreme	6	SUMGFZ3310600356I	
Abr. Supreme	7	SUMGFZ3310600357I	



**Indicare sempre dimensioni foro /attacco e/o costruttore macchina -  
Per profili su misura non esitate a contattarci.**

**Specify dimensions of the hole/attachment and manufacturer of the  
machine. --- Any particular shape can be quoted produced on request.**

PAG.8

## COMPLETE CNC KIT FOR GRANITE

Tel. 06-92860078

Fax 06-9280666

[www.mpsaprilia.it](http://www.mpsaprilia.it)

[info@mpsaprilia.it](mailto:info@mpsaprilia.it)

Ø INT. = **INNER Diameter**


Ø EST. = **OUTER Diameter**



<b>Mola - Wheel</b>	<b>POS.</b>	<b>Codice - Code</b>	<b>FZ/43 F20+20 ØINT.F060 mm</b>
<i>Sinterizzato - Sintered</i>			



Segmented	Precut	UMGF4310600351I
Segmented	1	UMGF4310600352I
Continuous Rim	2	UMGF4310600353I
Continuous Rim	3	UMGF4310600354I
Continuous Rim	4	
	<b>Gomma - Rubber</b>	
Rubber Diaflex	5	UMGF4310600355I
Rubber Diaflex	6	UMGF4310600356I
Rubber Diaflex	7	UMGF4310600357I
Abr. Supreme	5	SUMGF4310600355I
Abr. Supreme	6	SUMGF4310600356I
Abr. Supreme	7	SUMGF4310600357I



<b>Mola - Wheel</b>	POS.	<b>Codice - Code</b>	<b>FZ/63 F20+40 ØINT.F060 mm</b>
<b>Sinterizzato - Sintered</b>			
Segmented	1	UMGFZ6310600351I	
Continuous Rim	2	UMGFZ6310600352I	
Continuous Rim	3	UMGFZ6310600353I	
Continuous Rim	4	UMGFZ6310600354I	
	<b>Gomma - Rubber</b>		
Rubber Diaflex	5	UMGFZ6310600355I	
Rubber Diaflex	6	UMGFZ6310600356I	
Rubber Diaflex	7	UMGFZ6310600357I	
Abr. Supreme	5	SUMGFZ6310600355I	
Abr. Supreme	6	SUMGFZ6310600356I	
Abr. Supreme	7	SUMGFZ6310600357I	

<b>Mola - Wheel</b>	POS.	<b>Codice - Code</b>	<b>G/33 ØINT.F060 mm</b>
<b>Sinterizzato - Sintered</b>			
Segmented	1	UMGG3330600351I	
Continuous Rim	2	UMGG3330600352I	
Continuous Rim	3	UMGG3330600353I	
Continuous Rim	4	UMGG3330600354I	
	<b>Gomma - Rubber</b>		
Rubber Diaflex	5	UMGG3330600355I	
Rubber Diaflex	6	UMGG3330600356I	
Rubber Diaflex	7	UMGG3330600357I	
Abr. Supreme	5	SUMGG3330600355I	
Abr. Supreme	6	SUMGG3330600356I	
Abr. Supreme	7	SUMGG3330600357I	



**Indicare sempre dimensioni foro /attacco e/o costruttore macchina -  
Per profili su misura non esitate a contattarci.  
Specify dimensions of the hole/attachment and manufacturer of the  
machine. --- Any particular shape can be quoted produced on request.**

**PAG.9**

## **COMPLETE CNC KIT FOR GRANITE**




Tel. 06-92860078  
Fax 06-9280666

[www.mpsaprilia.it](http://www.mpsaprilia.it)  
[info@mpsaprilia.it](mailto:info@mpsaprilia.it)

Ø INT. = **INNER Diameter**  
Ø EST. = **OUTER Diameter**

<b>Mola - Wheel</b>	POS.	<b>Codice - Code</b>	<b>H/24 R15 ØINT.F060 mm</b>
<b>Sinterizzato - Sintered</b>			
Segmented	1	UMGH2415600351I	

Continuous Rim	2	UMGH2415600352I
Continuous Rim	3	UMGH2415600353I
Continuous Rim	4	UMGH2415600354I
<i>Gomma - Rubber</i>		
Rubber Diaflex	5	UMGH2415600355I
Rubber Diaflex	6	UMGH2415600356I
Rubber Diaflex	7	UMGH2415600357I
Abr. Supreme	5	SUMGH2415600355I
Abr. Supreme	6	SUMGH2415600356I
Abr. Supreme	7	SUMGH2415600357I



<i>Mola - Wheel</i>	POS.	Codice - Code	H/34 Ø INT.F060 mm
<i>Sinterizzato - Sintered</i>			
Segmented	1	UMGH3418.5600351I	
Continuous Rim	2	UMGH3418.5600352I	
Continuous Rim	3	UMGH3418.5600353I	
Continuous Rim	4	UMGH3418.5600354I	
<i>Gomma - Rubber</i>			
Rubber Diaflex	5	UMGH3418.5600355I	
Rubber Diaflex	6	UMGH3418.5600356I	
Rubber Diaflex	7	UMGH3418.5600357I	
Abr. Supreme	5	SUMGH3418.5600355I	
Abr. Supreme	6	SUMGH3418.5600356I	
Abr. Supreme	7	SUMGH3418.5600357I	

<i>Mola - Wheel</i>	POS.	Codice - Code	H/44 Ø INT.F060 mm
<i>Sinterizzato - Sintered</i>			
Segmented	1	UMGH4430600351I	
Continuous Rim	2	UMGH4430600352I	
Continuous Rim	3	UMGH4430600353I	
Continuous Rim	4	UMGH4430600354I	
<i>Gomma - Rubber</i>			
Rubber Diaflex	5	UMGH4430600355I	
Rubber Diaflex	6	UMGH4430600356I	
Rubber Diaflex	7	UMGH4430600357I	
Abr. Supreme	5	SUMGH4430600355I	
Abr. Supreme	6	SUMGH4430600356I	
Abr. Supreme	7	SUMGH4430600357I	



**Indicare sempre dimensioni foro /attacco e/o costruttore macchina -  
Per profili su misura non esitate a contattarci.**  
**Specify dimensions of the hole/attachment and manufacturer of the  
machine .--- Any particular shape can be quoted produced on request.**

PAG.10

## COMPLETE CNC KIT FOR GRANITE




Tel. 06-92860078  
Fax 06-9280666

[www.mpsaprilia.it](http://www.mpsaprilia.it)  
[info@mpsaprilia.it](mailto:info@mpsaprilia.it)

Ø INT. = **INNER Diameter**  
Ø EST. = **OUTER Diameter**

<i>Mola - Wheel</i>	POS.	Codice - Code	H+B/33 Ø INT.F060 mm
<i>Sinterizzato - Sintered</i>			
Segmented	1	UMGHB3312600351I	
Continuous Rim	2	UMGHB3312600352I	

Continuous Rim	3	UMGHB3312600353I
Continuous Rim	4	UMGHB3312600354I
<i>Gomma - Rubber</i>		
Rubber Diaflex	5	UMGHB3312600355I
Rubber Diaflex	6	UMGHB3312600356I
Rubber Diaflex	7	UMGHB3312600357I
Abr. Supreme	5	SUMGHB3312600355I
Abr. Supreme	6	SUMGHB3312600356I
Abr. Supreme	7	SUMGHB3312600357I



<i>Mola - Wheel</i>	POS.	Codice - Code	<i>H+B/44 ØINT.F060 mm</i>
<i>Sinterizzato - Sintered</i>			
Segmented	1	UMGHB4418600351I	
Continuous Rim	2	UMGHB4418600352I	
Continuous Rim	3	UMGHB4418600353I	
Continuous Rim	4	UMGHB4418600354I	
<i>Gomma - Rubber</i>			
Rubber Diaflex	5	UMGHB4418600355I	
Rubber Diaflex	6	UMGHB4418600356I	
Rubber Diaflex	7	UMGHB4418600357I	
Abr. Supreme	5	SUMGHB4418600355I	
Abr. Supreme	6	SUMGHB4418600356I	
Abr. Supreme	7	SUMGHB4418600357I	

<i>Mola - Wheel</i>	POS.	Codice - Code	<i>H+Z/43 ØINT.F060 mm</i>
<i>Sinterizzato - Sintered</i>			
Segmented	1	UMGHZ439.5600351I	
Continuous Rim	2	UMGHZ439.5600352I	
Continuous Rim	3	UMGHZ439.5600353I	
Continuous Rim	4	UMGHZ439.5600354I	
<i>Gomma - Rubber</i>			
Rubber Diaflex	5	UMGHZ439.5600355I	
Rubber Diaflex	6	UMGHZ439.5600356I	
Rubber Diaflex	7	UMGHZ439.5600357I	
Abr. Supreme	5	SUMGHZ439.5600355I	
Abr. Supreme	6	SUMGHZ439.5600356I	
Abr. Supreme	7	SUMGHZ439.5600357I	



**Indicare sempre dimensioni foro /attacco e/o costruttore macchina -  
Per profili su misura non esitate a contattarci.**

**Specify dimensions of the hole/attachment and manufacturer of the  
machine .--- Any particular shape can be quoted produced on request.**

PAG.11

## COMPLETE CNC KIT FOR GRANITE

Tel. 06-92860078  
Fax 06-9280666


[www.mpsaprilia.it](http://www.mpsaprilia.it)  
[info@mpsaprilia.it](mailto:info@mpsaprilia.it)

Ø INT. = **INNER Diameter**  
Ø EST. = **OUTER Diameter**



<i>Mola - Wheel</i>	POS.	Codice - Code	<i>I/33 R13 ØINT.F060 mm</i>
<i>Sinterizzato - Sintered</i>			
Segmented	1	UMGI3313600351I	
Continuous Rim	2	UMGI3313600352I	
Continuous Rim	3	UMGI3313600353I	

Continuous Rim	4	UMGI3313600354I
	<i>Gomma - Rubber</i>	
Rubber Diaflex	5	UMGI3313600355I
Rubber Diaflex	6	UMGI3313600356I
Rubber Diaflex	7	UMGI3313600357I
Abr. Supreme	5	SUMGI336003555I
Abr. Supreme	6	SUMGI336003556I
Abr. Supreme	7	SUMGI336003557I



<i>Mola - Wheel</i>	POS.	Codice - Code	I/43 R13 ØINT.F060 mm
<i>Sinterizzato - Sintered</i>			
Segmented	1	UMGI4313600351I	
Continuous Rim	2	UMGI4313600352I	
Continuous Rim	3	UMGI4313600353I	
Continuous Rim	4	UMGI4313600354I	
	<i>Gomma - Rubber</i>		
Rubber Diaflex	5	UMGI4313600355I	
Rubber Diaflex	6	UMGI4313600356I	
Rubber Diaflex	7	UMGI4313600357I	
Abr. Supreme	5	SUMGI4313600355I	
Abr. Supreme	6	SUMGI4313600356I	
Abr. Supreme	7	SUMGI4313600357I	

<i>Mola - Wheel</i>	POS.	Codice - Code	L/23 ØINT.F060 mm
<i>Sinterizzato - Sintered</i>			
Segmented	1	UMGL2310600351I	
Continuous Rim	2	UMGL2310600352I	
Continuous Rim	3	UMGL2310600353I	
Continuous Rim	4	UMGL2310600354I	
	<i>Gomma - Rubber</i>		
Rubber Diaflex	5	UMGL2310600355I	
Rubber Diaflex	6	UMGL2310600356I	
Rubber Diaflex	7	UMGL2310600357I	
Abr. Supreme	5	SUMGL2310600355I	
Abr. Supreme	6	SUMGL2310600356I	
Abr. Supreme	7	SUMGL2310600357I	



**Indicare sempre dimensioni foro /attacco e/o costruttore macchina -  
Per profili su misura non esitate a contattarci.**

**Specify dimensions of the hole/attachment and manufacturer of the  
machine.--- Any particular shape can be quoted produced on request.**

PAG.12

## COMPLETE CNC KIT FOR GRANITE

Tel. 06-92860078  
Fax 06-9280666


[www.mpsaprilia.it](http://www.mpsaprilia.it)  
[info@mpsaprilia.it](mailto:info@mpsaprilia.it)


Ø INT. = **INNER Diameter**  
Ø EST. = **OUTER Diameter**




<i>Mola - Wheel</i>	POS.	Codice - Code	L/33 ØINT.F060 mm
<i>Sinterizzato - Sintered</i>			
Segmented	1	UMGL3315600351I	
Continuous Rim	2	UMGL3315600352I	
Continuous Rim	3	UMGL3315600353I	
Continuous Rim	4	UMGL3315600354I	

			Gomma - Rubber
Rubber Diaflex	5	UMGL3315600351I	
Rubber Diaflex	6	UMGL3315600355I	
Rubber Diaflex	7	UMGL3315600356I	
Abr. Supreme	5	SUMGL3315600355I	
Abr. Supreme	6	SUMGL3315600356I	
Abr. Supreme	7	SUMGL3315600357I	



Mola - Wheel	POS.	Codice - Code	L/43 R20 ØINT.F060 mm
<i>Sinterizzato - Sintered</i>			
Segmented	1	UMGL4320600351I	
Continuous Rim	2	UMGL4320600352I	
Continuous Rim	3	UMGL4320600353I	
Continuous Rim	4	UMGL4320600354I	
<i>Gomma - Rubber</i>			
Rubber Diaflex	5	UMGL4320600355I	
Rubber Diaflex	6	UMGL4320600356I	
Rubber Diaflex	7	UMGL4320600357I	
Abr. Supreme	5	SUMGL4320600355I	
Abr. Supreme	6	SUMGL4320600356I	
Abr. Supreme	7	SUMGL4320600357I	

Mola - Wheel	POS.	Codice - Code	O/23 ØINT.F060 mm
<i>Sinterizzato - Sintered</i>			
Segmented	1	UMGO2308600351I	
Continuous Rim	2	UMGO2308600352I	
Continuous Rim	3	UMGO2308600353I	
Continuous Rim	4	UMGO2308600354I	
<i>Gomma - Rubber</i>			
Rubber Diaflex	5	UMGO2308600355I	
Rubber Diaflex	6	UMGO2308600356I	
Rubber Diaflex	7	UMGO2308600357I	
Abr. Supreme	5	SUMGO2308600355I	
Abr. Supreme	6	SUMGO2308600356I	
Abr. Supreme	7	SUMGO2308600357I	



**Indicare sempre dimensioni foro /attacco e/o costruttore macchina -  
Per profili su misura non esitate a contattarci.**  
**Specify dimensions of the hole/attachment and manufacturer of the  
machine.... Any particular shape can be quoted produced on request.**

PAG.13


## COMPLETE CNC KIT FOR GRANITE




Tel. 06-92860078  
Fax 06-9280666

[www.mpsaprilia.it](http://www.mpsaprilia.it)  
[info@mpsaprilia.it](mailto:info@mpsaprilia.it)

Ø INT. = INNER Diameter  
Ø EST. = OUTER Diameter

Mola - Wheel	POS.	Codice - Code	PN/33 ØINT.F060 mm
<i>Sinterizzato - Sintered</i>			
Segmented	1	UMGPN3325600351I	
Continuous Rim	2	UMGPN3325600352I	
Continuous Rim	3	UMGPN3325600353I	
Continuous Rim	4	UMGPN3325600354I	
<i>Gomma - Rubber</i>			
Rubber Diaflex	5	UMGPN3325600355I	
Rubber Diaflex	6	UMGPN3325600356I	
Rubber Diaflex	7	UMGPN3325600357I	
Abr. Supreme	5	SUMGPN3325600355I	
Abr. Supreme	6	SUMGPN3325600356I	
Abr. Supreme	7	SUMGPN3325600357I	

Rubber Diaflex	5	UMGPN3325600351I
Rubber Diaflex	6	UMGPN3325600356I
Rubber Diaflex	7	UMGPN3325600357I
Abr. Supreme	5	SUMGPN3325600355I
Abr. Supreme	6	SUMGPN3325600356I
Abr. Supreme	7	SUMGPN3325600357I



<b>Mola - Wheel</b>	<b>POS.</b>	<b>Codice - Code</b>	<b>PN/40 ØINT.F060 mm</b>
<b>Sinterizzato - Sintered</b>			
Segmented	1	UMGPN4030600351I	
Continuous Rim	2	UMGPN4030600352I	
Continuous Rim	3	UMGPN4030600353I	
Continuous Rim	4	UMGPN4030600354I	
<b>Gomma - Rubber</b>			
Rubber Diaflex	5	UMGPN4030600355I	
Rubber Diaflex	6	UMGPN4030600356I	
Rubber Diaflex	7	UMGPN4030600357I	
Abr. Supreme	5	SUMGPN4030600355I	
Abr. Supreme	6	SUMGPN4030600356I	
Abr. Supreme	7	SUMGPN4030600357I	

<b>Mola - Wheel</b>	<b>POS.</b>	<b>Codice - Code</b>	<b>Q/23 ØINT.F060 mm</b>
<b>Sinterizzato - Sintered</b>			
Segmented	1	UMGQ2307600351I	
Continuous Rim	2	UMGQ2307600352I	
Continuous Rim	3	UMGQ2307600353I	
Continuous Rim	4	UMGQ2307600355I	
<b>Gomma - Rubber</b>			
Rubber Diaflex	5	UMGQ2307600355I	
Rubber Diaflex	6	UMGQ2307600356I	
Rubber Diaflex	7	UMGQ2307600357I	
Abr. Supreme	5	SUMGQ2307600355I	
Abr. Supreme	6	SUMGQ2307600356I	
Abr. Supreme	7	SUMGQ2307600357I	



**Indicare sempre dimensioni foro /attacco e/o costruttore macchina -  
Per profili su misura non esitate a contattarci.**  
**Specify dimensions of the hole/attachment and manufacturer of the  
machine. .... Any particular shape can be quoted produced on request.**

PAG.14

## COMPLETE CNC KIT FOR GRANITE




Tel. 06-92860078  
Fax 06-9280666

[www.mpsaprilia.it](http://www.mpsaprilia.it)  
[info@mpsaprilia.it](mailto:info@mpsaprilia.it)

Ø INT. = **INNER Diameter**  
Ø EST. = **OUTER Diameter**

<b>Mola - Wheel</b>	<b>POS.</b>	<b>Codice - Code</b>	<b>Q/33 ØINT.F060 mm</b>
<b>Sinterizzato - Sintered</b>			
Segmented	1	UMGQ339.6600351I	
Continuous Rim	2	UMGQ339.6600352I	
Continuous Rim	3	UMGQ339.6600353I	
Continuous Rim	4	UMGQ339.6600354I	
<b>Gomma - Rubber</b>			
Rubber Diaflex	5	UMGQ339.6600355I	

Rubber Diaflex	6	UMGQ339.6600356I
Rubber Diaflex	7	UMGQ339.6600357I
Abr. Supreme	5	SUMGQ339.6600355I
Abr. Supreme	6	SUMGQ339.6600356I
Abr. Supreme	7	SUMGQ339.6600357I



<b>Mola - Wheel</b>	<b>POS.</b>	<b>Codice - Code</b>	<b>Q/43 ØINT.F060 mm</b>
<i>Sinterizzato - Sintered</i>			
Segmented	1	UMGQ4312.8600351I	
Continuous Rim	2	UMGQ4312.8600352I	
Continuous Rim	3	UMGQ4312.8600353I	
Continuous Rim	4	UMGQ4312.8600354I	
<i>Gomma - Rubber</i>			
Rubber Diaflex	5	UMGQ4312.8600355I	
Rubber Diaflex	6	UMGQ4312.8600356I	
Rubber Diaflex	7	UMGQ4312.8600357I	
Abr. Supreme	5	SUMGQ4312.8600355I	
Abr. Supreme	6	SUMGQ4312.8600356I	
Abr. Supreme	7	SUMGQ4312.8600357I	

<b>Mola - Wheel</b>	<b>POS.</b>	<b>Codice - Code</b>	<b>T/23 R3 ØEST.D120 mm</b>
<i>Sinterizzato - Sintered</i>			
Segmented	<i>Precut</i>	UMGT230310035PI	
Segmented	1	UMGT2303100351I	
Continuous Rim	2	UMGT2303100352I	
Continuous Rim	3	UMGT2303100353I	
Continuous Rim	4	UMGT2303100354I	
<i>Gomma - Rubber</i>			
Rubber Diaflex	5	UMGT2303100355I	
Rubber Diaflex	6	UMGT2303100356I	
Rubber Diaflex	7	UMGT2303100357I	
Abr. Supreme	5	SUMGT2303100355I	
Abr. Supreme	6	SUMGT2303100356I	
Abr. Supreme	7	SUMGT2303100357I	



**Indicare sempre dimensioni foro /attacco e/o costruttore macchina -  
Per profili su misura non esitate a contattarci.  
Specify dimensions of the hole/attachment and manufacturer of the  
machine. .... Any particular shape can be quoted produced on request.**

PAG.15



## COMPLETE CNC KIT FOR GRANITE


Tel. 06-92860078  
Fax 06-9280666

[www.mpsaprilia.it](http://www.mpsaprilia.it)  
[info@mpsaprilia.it](mailto:info@mpsaprilia.it)

Ø INT. = **INNER Diameter**  
Ø EST. = **OUTER Diameter**

<b>Mola - Wheel</b>	<b>POS.</b>	<b>Codice - Code</b>	<b>T/23 R5 ØINT.F060 mm</b>
<i>Sinterizzato - Sintered</i>			
Segmented	1	UMGT2305600351I	
Continuous Rim	2	UMGT2305600352I	
Continuous Rim	3	UMGT2305600353I	
Continuous Rim	4	UMGT2305600354I	
<i>Gomma - Rubber</i>			
Rubber Diaflex	5	UMGT2305600355I	

Rubber Diaflex	6	UMGT2305600356I
Rubber Diaflex	7	UMGT2305600357I
Abr. Supreme	5	SUMGT2305600355I
Abr. Supreme	6	SUMGT2305600356I
Abr. Supreme	7	SUMGT2305600357I



<b>Mola - Wheel</b>	<b>POS.</b>	<b>Codice - Code</b>	<b>T/23 R3 ØINT.D060 mm</b>
<b>Sinterizzato - Sintered</b>			
Segmented	1	UMGT2303600351I	
Continuous Rim	2	UMGT2303600352I	
Continuous Rim	3	UMGT2303600353I	
Continuous Rim	4	UMGT2303600354I	
<b>Gomma - Rubber</b>			
Rubber Diaflex	5	UMGT2303600355I	
Rubber Diaflex	6	UMGT2303600356I	
Rubber Diaflex	7	UMGT2303600357I	
Abr. Supreme	5	SUMGT2303600355I	
Abr. Supreme	6	SUMGT2303600356I	
Abr. Supreme	7	SUMGT2303600357I	

<b>Mola - Wheel</b>	<b>POS.</b>	<b>Codice - Code</b>	<b>T/33 R10 ØINT.F060 mm</b>
<b>Sinterizzato - Sintered</b>			
Segmented	1	UMGT3310600351I	
Continuous Rim	2	UMGT3310600352I	
Continuous Rim	3	UMGT3310600353I	
Continuous Rim	4	UMGT3310600354I	
<b>Gomma - Rubber</b>			
Rubber Diaflex	5	UMGT3310600355I	
Rubber Diaflex	6	UMGT3310600356I	
Rubber Diaflex	7	UMGT3310600357I	
Abr. Supreme	5	SUMGT3310600355I	
Abr. Supreme	6	SUMGT3310600356I	
Abr. Supreme	7	SUMGT3310600357I	



**Indicare sempre dimensioni foro /attacco e/o costruttore macchina -  
Per profili su misura non esitate a contattarci.**  
**Specify dimensions of the hole/attachment and manufacturer of the  
machine. --- Any particular shape can be quoted produced on request.**

PAG.16



## COMPLETE CNC KIT FOR GRANITE

Tel. 06-92860078  
Fax 06-9280666

[www.mpsaprilia.it](http://www.mpsaprilia.it)  
[info@mpsaprilia.it](mailto:info@mpsaprilia.it)

Ø INT. = **INNER Diameter**  
Ø EST. = **OUTER Diameter**

<b>Mola - Wheel</b>	<b>POS.</b>	<b>Codice - Code</b>	<b>T/33 R8 ØINT.F060 mm</b>
<b>Sinterizzato - Sintered</b>			
Segmented	1	UMGT3308600351I	
Continuous Rim	2	UMGT3308600352I	
Continuous Rim	3	UMGT3308600353I	
Continuous Rim	4	UMGT3308600354I	
<b>Gomma - Rubber</b>			
Rubber Diaflex	5	UMGT3308600355I	
Rubber Diaflex	6	UMGT3308600356I	



Rubber Diaflex	7	UMGT3308600357I	
Abr. Supreme	5	SUMGT3308600355I	
Abr. Supreme	6	SUMGT3308600356I	
Abr. Supreme	7	SUMGT3308600357I	

Mola - Wheel	POS.	Codice - Code	T/32,5 R5 ØINT.F060 mm
Sinterizzato - Sintered			
Segmented	1	UMGT32.505600351I	
Continuous Rim	2	UMGT32.505600352I	
Continuous Rim	3	UMGT32.505600353I	
Continuous Rim	4	UMGT32.505600354I	
Gomma - Rubber			
Rubber Diaflex	5	UMGT32.505600355I	
Rubber Diaflex	6	UMGT32.505600356I	
Rubber Diaflex	7	UMGT32.505600357I	
Abr. Supreme	5	SUMGT32.505600355I	
Abr. Supreme	6	SUMGT32.505600356I	
Abr. Supreme	7	SUMGT32.505600357I	

Mola - Wheel	POS.	Codice - Code	T/33 R3 ØINT.D060 mm
Sinterizzato - Sintered			
Segmented	1	UMGT3303600351I	
Continuous Rim	2	UMGT3303600352I	
Continuous Rim	3	UMGT3303600353I	
Continuous Rim	4	UMGT3303600354I	
Gomma - Rubber			
Rubber Diaflex	5	UMGT3303600355I	
Rubber Diaflex	6	UMGT3303600356I	
Rubber Diaflex	7	UMGT3303600357I	
Abr. Supreme	5	SUMGT3303600355I	
Abr. Supreme	6	SUMGT3303600356I	
Abr. Supreme	7	SUMGT3303600357I	



**Indicare sempre dimensioni foro /attacco e/o costruttore macchina -**  
**Per profili su misura non esitate a contattarci.**  
**Specify dimensions of the hole/attachment and manufacturer of the**  
**machine. --- Any particular shape can be quoted produced on request.**

PAG.17



## COMPLETE CNC KIT FOR GRANITE

Tel. 06-92860078  
Fax 06-9280666

[www.mpsaprilia.it](http://www.mpsaprilia.it)  
[info@mpsaprilia.it](mailto:info@mpsaprilia.it)

Ø INT. = **INNER Diameter**  
 Ø EST. = **OUTER Diameter**

Mola - Wheel	POS.	Codice - Code	T/33 R3 ØINT.D120 mm
Sinterizzato - Sintered			
Segmented	1	UMGT3303100351I	
Continuous Rim	2	UMGT3303100352I	
Continuous Rim	3	UMGT3303100353I	
Continuous Rim	4	UMGT3303100354I	
Gomma - Rubber			
Rubber Diaflex	5	UMGT3303100355I	
Rubber Diaflex	6	UMGT3303100356I	
Rubber Diaflex	7	UMGT3303100357I	

Abr. Supreme	5	SUMGT3303100355I
Abr. Supreme	6	SUMGT3303100356I
Abr. Supreme	7	SUMGT3303100357I



Mola - Wheel	POS.	Codice - Code	T/42 R8 ØINT.F060 mm
<i>Sinterizzato - Sintered</i>			
Segmented	1	UMGT4208600351I	
Continuous Rim	2	UMGT4208600352I	
Continuous Rim	3	UMGT4208600353I	
Continuous Rim	4	UMGT4208600354I	
<i>Gomma - Rubber</i>			
Rubber Diaflex	5	UMGT4208600355I	
Rubber Diaflex	6	UMGT4208600356I	
Rubber Diaflex	7	UMGT4208600357I	
Abr. Supreme	5	SUMGT4208600355I	
Abr. Supreme	6	SUMGT4208600356I	
Abr. Supreme	7	SUMGT4208600357I	

Mola - Wheel	POS.	Codice - Code	T/42,5 R5 ØINT.F060 mm
<i>Sinterizzato - Sintered</i>			
Segmented	1	UMGT42.505600351I	
Continuous Rim	2	UMGT42.505600352I	
Continuous Rim	3	UMGT42.505600353I	
Continuous Rim	4	UMGT42.505600354I	
<i>Gomma - Rubber</i>			
Rubber Diaflex	5	UMGT42.505600355I	
Rubber Diaflex	6	UMGT42.505600356I	
Rubber Diaflex	7	UMGT42.505600357I	
Abr. Supreme	5	SUMGT42.505600355I	
Abr. Supreme	6	SUMGT42.505600356I	
Abr. Supreme	7	SUMGT42.505600357I	



**Indicare sempre dimensioni foro /attacco e/o costruttore macchina -  
Per profili su misura non esitate a contattarci.**  
**Specify dimensions of the hole/attachment and manufacturer of the  
machine. --- Any particular shape can be quoted produced on request.**

PAG.18



## COMPLETE CNC KIT FOR GRANITE


Tel. 06-92860078  
Fax 06-9280666

[www.mpsaprilia.it](http://www.mpsaprilia.it)  
[info@mpsaprilia.it](mailto:info@mpsaprilia.it)

Ø INT. = **INNER Diameter**  
Ø EST. = **OUTER Diameter**

Mola - Wheel	POS.	Codice - Code	T/43 R3 ØINT.F060 mm
<i>Sinterizzato - Sintered</i>			
Segmented	1	UMGT4303600351I	
Continuous Rim	2	UMGT4303600352I	
Continuous Rim	3	UMGT4303600353I	
Continuous Rim	4	UMGT4303600354I	
<i>Gomma - Rubber</i>			
Rubber Diaflex	5	UMGT4303600355I	
Rubber Diaflex	6	UMGT4303600356I	
Rubber Diaflex	7	UMGT4303600357I	

Abr. Supreme	5	SUMGT4303600355I
Abr. Supreme	6	SUMGT4303600356I
Abr. Supreme	7	SUMGT4303600357I



<b>Mola - Wheel</b>	<b>POS.</b>	<b>Codice - Code</b>	<b>T/43 R3 ØEST D120 mm</b>
<i>Sinterizzato - Sintered</i>			
Segmented	1	UMGT4303100351I	
Continuous Rim	2	UMGT4303100352I	
Continuous Rim	3	UMGT4303100353I	
Continuous Rim	4	UMGT4303100354I	
<i>Gomma - Rubber</i>			
Rubber Diaflex	5	UMGT4303100355I	
Rubber Diaflex	6	UMGT4303100356I	
Rubber Diaflex	7	UMGT4303100357I	
Abr. Supreme	5	SUMGT4303100355I	
Abr. Supreme	6	SUMGT4303100356I	
Abr. Supreme	7	SUMGT4303100357I	

<b>Mola - Wheel</b>	<b>POS.</b>	<b>Codice - Code</b>	<b>TP/23 ØINT.F060 mm</b>
<i>Sinterizzato - Sintered</i>			
Segmented	1	UMGTP236.5600351I	
Continuous Rim	2	UMGTP236.5600352I	
Continuous Rim	3	UMGTP236.5600353I	
Continuous Rim	4	UMGTP236.5600354I	
<i>Gomma - Rubber</i>			
Rubber Diaflex	5	UMGTP236.5600355I	
Rubber Diaflex	6	UMGTP236.5600356I	
Rubber Diaflex	7	UMGTP236.5600357I	
Abr. Supreme	5	SUMGTP236.5600355I	
Abr. Supreme	6	SUMGTP236.5600356I	
Abr. Supreme	7	SUMGTP236.5600357I	



**Indicare sempre dimensioni foro /attacco e/o costruttore macchina -  
Per profili su misura non esitate a contattarci.**

**Specify dimensions of the hole/attachment and manufacturer of the  
machine. --- Any particular shape can be quoted produced on request.**

PAG.19

## COMPLETE CNC KIT FOR GRANITE

Tel. 06-92860078  
Fax 06-9280666

[www.mpsaprilia.it](http://www.mpsaprilia.it)  
[info@mpsaprilia.it](mailto:info@mpsaprilia.it)

Ø INT. = **INNER Diameter**  
Ø EST. = **OUTER Diameter**



<b>Mola - Wheel</b>	<b>POS.</b>	<b>Codice - Code</b>	<b>TP/43 R12 ØINT.F060 mm</b>
<i>Sinterizzato - Sintered</i>			
Segmented	1	UMGTP4312600351I	
Continuous Rim	2	UMGTP4312600352I	
Continuous Rim	3	UMGTP4312600353I	
Continuous Rim	4	UMGTP4312600354I	
<i>Gomma - Rubber</i>			
Rubber Diaflex	5	UMGTP4312600355I	
Rubber Diaflex	6	UMGTP4312600356I	
Rubber Diaflex	7	UMGTP4312600357I	
Abr. Supreme	5	SUMGTP4312600355I	
Abr. Supreme	6	SUMGTP4312600356I	

Abr. Supreme

7

SUMGTP4312600357I

<b>Mola - Wheel</b>	<b>POS.</b>	<b>Codice - Code</b>	<b>V/22 R10 ØINT.F060 mm</b>
<i>Sinterizzato - Sintered</i>			
Segmented	1	UMGV2210600351I	
Continuous Rim	2	UMGV2210600352I	
Continuous Rim	3	UMGV2210600353I	
Continuous Rim	4	UMGV2210600354I	
<i>Gomma - Rubber</i>			
Rubber Diaflex	5	UMGV2210600355I	
Rubber Diaflex	6	UMGV2210600356I	
Rubber Diaflex	7	UMGV2210600357I	
Abr. Supreme	5	SUMGV2210600355I	
Abr. Supreme	6	SUMGV2210600356I	
Abr. Supreme	7	SUMGV2210600357I	

<b>Mola - Wheel</b>	<b>POS.</b>	<b>Codice - Code</b>	<b>V/32 R15 ØINT.F060 mm</b>
<i>Sinterizzato - Sintered</i>			
Segmented	<i>Precut</i>	UMGV321560035PI	
Segmented	1	UMGV3215600351I	
Continuous Rim	2	UMGV3215600352I	
Continuous Rim	3	UMGV3215600353I	
Continuous Rim	4	UMGV3215600354I	
<i>Gomma - Rubber</i>			
Rubber Diaflex	5	UMGV3215600355I	
Rubber Diaflex	6	UMGV3215600356I	
Rubber Diaflex	7	UMGV3215600357I	
Abr. Supreme	5	SUMGV3215600355I	
Abr. Supreme	6	SUMGV3215600356I	
Abr. Supreme	7	SUMGV3215600357I	



**Indicare sempre dimensioni foro /attacco e/o costruttore macchina -  
Per profili su misura non esitate a contattarci.**

**Specify dimensions of the hole/attachment and manufacturer of the  
machine. --- Any particular shape can be quoted produced on request.**

PAG.20

## COMPLETE CNC KIT FOR GRANITE

Tel. 06-92860078

Fax 06-9280666

[www.mpsaprilia.it](http://www.mpsaprilia.it)[info@mpsaprilia.it](mailto:info@mpsaprilia.it)Ø INT. = **INNER Diameter**Ø EST. = **OUTER Diameter**

<b>Mola - Wheel</b>	<b>POS.</b>	<b>Codice - Code</b>	<b>V/33 R15 ØEST.D120 mm</b>
<i>Sinterizzato - Sintered</i>			
Segmented	<i>Precut</i>	UMGV331560035PI	
Segmented	1	UMGV3315600351I	
Continuous Rim	2	UMGV3315600352I	
Continuous Rim	3	UMGV3315600353I	
Continuous Rim	4	UMGV3315600354I	
<i>Gomma - Rubber</i>			
Rubber Diaflex	5	UMGV3315600355I	
Rubber Diaflex	6	UMGV3315600356I	
Rubber Diaflex	7	UMGV3315600357I	
Abr. Supreme	5	SUMGV3315600355I	
Abr. Supreme	6	SUMGV3315600356I	
Abr. Supreme	7	SUMGV3315600357I	



<b>Mola - Wheel</b>	<b>POS.</b>	<b>Codice - Code</b>	<b>V/42 R20 ØINT.F060 mm</b>
<i>Sinterizzato - Sintered</i>			
Segmented	<i>Precut</i>	UMGV422060035PI	
Segmented	1	UMGV422060035I1	
Continuous Rim	2	UMGV4220600352I	
Continuous Rim	3	UMGV4220600353I	
Continuous Rim	4	UMGV4220600354I	
<i>Gomma - Rubber</i>			
Rubber Diaflex	5	UMGV4220600355I	
Rubber Diaflex	6	UMGV4220600356I	
Rubber Diaflex	7	UMGV4220600357I	
Abr. Supreme	5	SUMGV4220600355I	
Abr. Supreme	6	SUMGV4220600356I	
Abr. Supreme	7	SUMGV4220600357I	

<b>Mola - Wheel</b>	<b>POS.</b>	<b>Codice - Code</b>	<b>V/43 R20 ØEST.D120 mm</b>
<i>Sinterizzato - Sintered</i>			
Segmented	<i>Precut</i>	UMGV432060035PI	
Segmented	1	UMGV432060035I1	
Continuous Rim	2	UMGV4320600352I	
Continuous Rim	3	UMGV4320600353I	
Continuous Rim	4	UMGV4320600354I	
<i>Gomma - Rubber</i>			
Rubber Diaflex	5	UMGV4320600355I	
Rubber Diaflex	6	UMGV4320600356I	
Rubber Diaflex	7	UMGV4320600357I	
Abr. Supreme	5	SUMGV4320600355I	
Abr. Supreme	6	SUMGV4320600356I	
Abr. Supreme	7	SUMGV4320600357I	



**Indicare sempre dimensioni foro /attacco e/o costruttore macchina -  
Per profili su misura non esitate a contattarci.  
Specify dimensions of the hole/attachment and manufacturer of the  
machine. .... Any particular shape can be quoted produced on request.**

**PAG.21**



## **COMPLETE CNC KIT FOR GRANITE**

Tel. 06-92860078  
Fax 06-9280666

[www.mpsaprilia.it](http://www.mpsaprilia.it)  
[info@mpsaprilia.it](mailto:info@mpsaprilia.it)

Ø INT. = **INNER Diameter**  
Ø EST. = **OUTER Diameter**

<b>Mola - Wheel</b>	<b>POS.</b>	<b>Codice - Code</b>	<b>V/52 R25 ØINT.F060 mm</b>
<i>Sinterizzato - Sintered</i>			
Segmented	1	UMGV522560035I1	
Continuous Rim	2	UMGV5225600352I	
Continuous Rim	3	UMGV5225600353I	
Continuous Rim	4	UMGV5225600354I	
<i>Gomma - Rubber</i>			
Rubber Diaflex	5	UMGV5225600355I	
Rubber Diaflex	6	UMGV5225600356I	
Rubber Diaflex	7	UMGV5225600357I	
Abr. Supreme	5	SUMGV5225600355I	
Abr. Supreme	6	SUMGV5225600356I	
Abr. Supreme	7	SUMGV5225600357I	

<b>Mola - Wheel</b>	<b>POS.</b>	<b>Codice - Code</b>	<b>V/62 R30 ØINT.F060 mm</b>
<i>Sinterizzato - Sintered</i>			
Segmented	1	UMGV62300351I	
Continuous Rim	2	UMGV62300352I	
Continuous Rim	3	UMGV62300353I	
Continuous Rim	4	UMGV62300354I	
<i>Gomma - Rubber</i>			
Rubber Diaflex	5	UMGV62300355I	
Rubber Diaflex	6	UMGV62300356I	
Rubber Diaflex	7	UMGV62300357I	
Abr. Supreme	5	SUMGV62300355I	
Abr. Supreme	6	SUMGV62300356I	
Abr. Supreme	7	SUMGV62300357I	

<b>Mola - Wheel</b>	<b>POS.</b>	<b>Codice - Code</b>	<b>V+F/33 ØINT.F060 mm</b>
<i>Sinterizzato - Sintered</i>			
Segmented	1	UMGVF339.6600351I	
Continuous Rim	2	UMGVF339.6600352I	
Continuous Rim	3	UMGVF339.6600353I	
Continuous Rim	4	UMGVF339.6600354I	
<i>Gomma - Rubber</i>			
Rubber Diaflex	5	UMGVF339.6600355I	
Rubber Diaflex	6	UMGVF339.6600356I	
Rubber Diaflex	7	UMGVF339.6600357I	
Abr. Supreme	5	SUMGVF339.6600355I	
Abr. Supreme	6	SUMGVF339.6600356I	
Abr. Supreme	7	SUMGVF339.6600357I	



**Indicare sempre dimensioni foro /attacco e/o costruttore macchina -  
Per profili su misura non esitate a contattarci.**

**Specify dimensions of the hole/attachment and manufacturer of the  
machine. --- Any particular shape can be quoted produced on request.**

PAG.22

## COMPLETE CNC KIT FOR GRANITE

Tel. 06-92860078

Fax 06-9280666

[www.mpsaprilia.it](http://www.mpsaprilia.it)

[info@mpsaprilia.it](mailto:info@mpsaprilia.it)

Ø INT. = **INNER Diameter**

Ø EST. = **OUTER Diameter**

<b>Mola - Wheel</b>	<b>POS.</b>	<b>Codice - Code</b>	<b>V+F/43 ØINT.F060 mm</b>
<i>Sinterizzato - Sintered</i>			
Segmented	1	UMGVF4312.5600351I	
Continuous Rim	2	UMGVF4312.5600352I	
Continuous Rim	3	UMGVF4312.5600353I	
Continuous Rim	4	UMGVF4312.5600354I	
<i>Gomma - Rubber</i>			
Rubber Diaflex	5	UMGVF4312.5600355I	
Rubber Diaflex	6	UMGVF4312.5600356I	
Rubber Diaflex	7	UMGVF4312.5600357I	
Abr. Supreme	5	SUMGVF4312.5600355I	
Abr. Supreme	6	SUMGVF4312.5600356I	
Abr. Supreme	7	SUMGVF4312.5600357I	



<b>Mola - Wheel</b>	<b>POS.</b>	<b>Codice - Code</b>	<b>V+F/60 ØINT.F060 mm</b>
<i>Sinterizzato - Sintered</i>			
Segmented	<i>Precut</i>	UMGVF601860035PI	
Segmented	1	UMGVF6018600351I	
Continuous Rim	2	UMGVF6018600352I	
Continuous Rim	3	UMGVF6018600353I	
Continuous Rim	4	UMGVF6018600354I	
<i>Gomma - Rubber</i>			
Rubber Diaflex	5	UMGVF6018600355I	
Rubber Diaflex	6	UMGVF6018600356I	
Rubber Diaflex	7	UMGVF6018600357I	
Abr. Supreme	5	SUMGVF6018600355I	
Abr. Supreme	6	SUMGVF6018600356I	
Abr. Supreme	7	SUMGVF6018600357I	

<b>Mola - Wheel</b>	<b>POS.</b>	<b>Codice - Code</b>	<b>Z/33 ØEST.D120 mm</b>
<i>Sinterizzato - Sintered</i>			
Segmented	1	UMGCD331200351I	
Continuous Rim	2	UMGCD331200352I	
Continuous Rim	3	UMGCD331200353I	
Continuous Rim	4	UMGCD331200354I	
<i>Gomma - Rubber</i>			
Rubber Diaflex	5	UMGCD331200355I	
Rubber Diaflex	6	UMGCD331200356I	
Rubber Diaflex	7	UMGCD331200357I	
Abr. Supreme	5	SUMGCD331200355I	
Abr. Supreme	6	SUMGCD331200356I	
Abr. Supreme	7	SUMGCD331200357I	



**Indicare sempre dimensioni foro /attacco e/o costruttore macchina -  
Per profili su misura non esitate a contattarci.**  
**Specify dimensions of the hole/attachment and manufacturer of the  
machine. --- Any particular shape can be quoted produced on request.**

**PAG.23**



## **COMPLETE CNC KIT FOR GRANITE**

Tel. 06-92860078  
Fax 06-9280666

[www.mpsaprilia.it](http://www.mpsaprilia.it)  
[info@mpsaprilia.it](mailto:info@mpsaprilia.it)

Ø INT. = **INNER Diameter**  
Ø EST. = **OUTER Diameter**

<b>Mola - Wheel</b>	<b>POS.</b>	<b>Codice - Code</b>	<b>Z/35 ØINT.F060 mm</b>
<i>Sinterizzato - Sintered</i>			
Segmented	1	UMGCD35600351I	
Continuous Rim	2	UMGCD35600352I	
Continuous Rim	3	UMGCD35600353I	
Continuous Rim	4	UMGCD35600354I	
<i>Gomma - Rubber</i>			
Rubber Diaflex	5	UMGCD35600355I	
Rubber Diaflex	6	UMGCD35600356I	
Rubber Diaflex	7	UMGCD35600357I	
Abr. Supreme	5	SUMGCD35600355I	
Abr. Supreme	6	SUMGCD35600356I	
Abr. Supreme	7	SUMGCD35600357I	

<b>Mola - Wheel</b>	<b>POS.</b>	<b>Codice - Code</b>	<b>Z/45 ØINT.F060 mm</b>
<i>Sinterizzato - Sintered</i>			
Segmented	1	UMGC45600351I	
Continuous Rim	2	UMGC45600352I	
Continuous Rim	3	UMGC45600353I	
Continuous Rim	4	UMGC45600354I	
<i>Gomma - Rubber</i>			
Rubber Diaflex	5	UMGC45600355I	
Rubber Diaflex	6	UMGC45600356I	
Rubber Diaflex	7	UMGC45600357I	
Abr. Supreme	5	SUMGC45600355I	
Abr. Supreme	6	SUMGC45600356I	
Abr. Supreme	7	SUMGC45600357I	

<b>Mola - Wheel</b>	<b>POS.</b>	<b>Codice - Code</b>	<b>Z/55 ØINT.F060 mm</b>
<i>Sinterizzato - Sintered</i>			
Segmented	1	UMGCD55600351I	
Continuous Rim	2	UMGCD55600352I	
Continuous Rim	3	UMGCD55600353I	
Continuous Rim	4	UMGCD55600354I	
<i>Gomma - Rubber</i>			
Rubber Diaflex	5	UMGCD55600355I	
Rubber Diaflex	6	UMGCD55600356I	
Rubber Diaflex	7	UMGCD55600357I	
Abr. Supreme	5	SUMGCD55600355I	
Abr. Supreme	6	SUMGCD55600356I	
Abr. Supreme	7	SUMGCD55600357I	



**Indicare sempre dimensioni foro /attacco e/o costruttore macchina -  
Per profili su misura non esitate a contattarci.  
Specify dimensions of the hole/attachment and manufacturer of the  
machine. --- Any particular shape can be quoted produced on request.**